



Haddad 1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application

Applicant(s): Khalil C. Haddad
Case: 1
Serial No.: 09/803,801
Filing Date: March 12, 2001
Group: 2638
Examiner: Jason M. Perilla

I hereby certify that this paper is being deposited on this date with the U.S. Postal Service as first class mail addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

Signature: Jim Maurin Date: May 10, 2006

Title: Shortening Impulse Response Filter (SIRF) and Design Technique Therefor

REQUEST TO REINSTATE APPEAL

Mail Stop Appeal Brief - Patent
Commissioner for Patents
P.O. Box 1450
Arlington, VA 22313-1450

Sir:

Applicants hereby request to reinstate the appeal. Applicants' Appeal Brief was submitted on October 21, 2005. A new Office Action was mailed on January 10, 2006.

The attention of the Examiner and the Appeal Board to this matter is appreciated.

Respectfully,

Date: May 10, 2006

Kevin M. Mason
Attorney for Applicant(s)
Reg. No. 36,597
Ryan, Mason & Lewis, LLP
1300 Post Road, Suite 205
Fairfield, CT 06824
(203) 255-6560



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application

5 Applicant(s): Khalil C. Haddad
Case: 1
Serial No.: 09/803,801
Filing Date: March 12, 2001
Group: 2638
10 Examiner: Jason M. Perilla

I hereby certify that this paper is being deposited on this date with the U.S. Postal Service as first class mail addressed to the Commissioner for Patents, P.O. 1450, Alexandria, VA 22313-1450.

Signature: Jim Maurer Date: May 10, 2006

Title: Shortening Impulse Response Filter (SIRF) and Design Technique Therefor

15

APPEAL BRIEF

Mail Stop Appeal Brief – Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

20

Sir:

Appellant hereby replies to the non-final Office Action, mailed January 10, 2006.

A request to reinstate the appeal is submitted herewith. Appellant's original Appeal Brief in an

25 Appeal of the final rejection of claims 1-8, 10-16, 18-26, and 28 in the above-identified patent application was submitted on October 21, 2005.

REAL PARTY IN INTEREST

30 The present application is assigned to Agere Systems Corp., as evidenced by an assignment recorded in the United States Patent and Trademark Office at Reel 011638, Frame 0828, from the Inventors to Agere Systems Guardian Corp., and an assignment under 37 CFR 3.73(b) from Agere Systems Guardian Corp. to Agere Systems Inc., dated April 16, 2003. The assignee, Agere Systems Inc., is the real party in interest.

35

RELATED APPEALS AND INTERFERENCES

There are no related appeals or interferences.

STATUS OF CLAIMS

The present application was filed on March 12, 2001 with claims 1 through 28. Claims 9, 17, and 27 were cancelled in the Amendment and Response to Office Action dated September 17, 2004. Claims 1-8, 10-16, 18-26, and 28 are presently pending in the above-identified patent application. Claims 1, 2, 4-6, 10-12, 14-16, and 18 are rejected under 35 U.S.C. §103(a) as being unpatentable over Haddad et al. ("Design of Digital Linear-Phase FIR Crossover Systems of Loudspeakers by the Method of Vector Space Projections," Haddad, Khalil C. et al.; hereinafter "Haddad") in view of Younce et al. (United States Patent Number 5,521,908; hereinafter "Younce"), claims 19, 20, 22-24, and 28 are rejected under 35 U.S.C. §103(a) as being unpatentable over Haddad in view of Younce, and in further view of Gandhi et al. (United States Patent Number 6,112,218; hereinafter "Gandhi"), claims 3, 7, 8, 13, 21, 25, and 26 are rejected under 35 U.S.C. §103(a) as being unpatentable over Haddad in view of Younce, and further in view of Haddad, Khalil C. ("Constrained FIR Filter Design by the Method of Vector Space Projections," Haddad, Khalil C. et al.; hereinafter "Khalil").

STATUS OF AMENDMENTS

There have been no amendments filed subsequent to the final rejection.

SUMMARY OF CLAIMED SUBJECT MATTER

The present invention is directed to shortening impulse response filters (SIRF) that satisfy constraints in both the time and frequency domains (page 3, line 23, to page 4, line 25). In addition, methods and apparatus are disclosed for determining the coefficient values for SIRF filters (page 6, line 15, to page 7, line 13). The disclosed SIRF filters shorten the channel impulse response in the time domain while also providing a frequency response that does not attenuate or amplify the received signal (page 2, lines 20-25). One or more sets define constraints that the SIRF filter must satisfy in the time domain, and one or more sets define constraints that the SIRF filter must satisfy in the frequency domain. By varying the sets utilized to define the time and frequency domain constraints, SIRF filters having a linear or non-linear phase response may be obtained. The intersection of the various sets defines the coefficients for the SIRF filters. Vector space projection methods are utilized to determine the intersection set (page 7, line 14, to page 8, line 7).

In one exemplary embodiment, a method for determining coefficient values for a shortening impulse response filter (SIRF) is disclosed (page 3, line 23, to page 4, line 25), comprising the steps of: establishing at least one set of defining constraints that the SIRF filter must satisfy in a time domain (page 4, line 26, to page 8, line 7); establishing at least one set of defining constraints that the SIRF filter must satisfy in a frequency domain (page 4, line 26, to page 8, line 7); and determining an intersecting set of at least one set of the defining constraints that the SIRF filter must satisfy in the time domain and at least one set of defining constraints that the SIRF filter must satisfy in the frequency domain by employing vector space projection methods (page 4, line 26, to page 8, line 7).

STATEMENT OF GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

A statement identifying the issues originally presented for review is contained in Appellant's Appeal Brief dated October 21, 2005. Claims 1, 2, 4-6, 10-12, 14-16, and 18 are rejected under 35 U.S.C. §103(a) as being unpatentable over Haddad in view of Younce, claims 19, 20, 22-24, and 28 are rejected under 35 U.S.C. §103(a) as being unpatentable over Haddad in view of Younce, and in further view of Gandhi, and claims 3, 7, 8, 13, 21, 25, and 26 are rejected under 35 U.S.C. §103(a) as being unpatentable over Haddad in view of Younce, and further in view of Khalil.

ARGUMENT

Independent Claims 1, 11 and 19

Independent claims 1 and 11 are rejected under 35 U.S.C. §103(a) as being unpatentable over Haddad et al. in view of Younce et al. and independent claim 19 is rejected under 35 U.S.C. §103(a) as being unpatentable over Haddad in view of Younce, and in further view of Gandhi. Regarding claim 1, the Examiner asserts that Younce teaches that an SIRF filter is a type of FIR filter and that, because the VSPM method of Haddad allows for significant flexibility in that any number of constraints may be incorporated into the design, one skilled in the art would find it advantageous to use the method to design not only FIR filters but similar filters such as SIRF filters as suggested by Younce depending upon the type and response of filter required.

Appellant notes that the concept of sets, intersection of sets, projections, and the modeling of constraints with mathematical sets are **not** disclosed or suggested by Younce. In SIRF filter design, constraints in the time domain are needed in general to prevent spectral nulls from showing up in the solution of the coefficients. Younce, for example, solves linear equations in the time domain to find the coefficients. Younce does **not** disclose or suggest *determining an intersecting set of at least one set of defining constraints that a SIRF filter must satisfy in the time domain and at least one set of defining constraints that the SIRF filter must satisfy in the frequency domain by employing vector space projection methods.*

Appellant could also find no disclosure or suggestion in either Younce or Haddad to combine the SIRF design disclosed by Younce with the method disclosed by Haddad. Independent claims 1, 11, and 19 require establishing at least one set of defining constraints that said SIRF filter must satisfy in a time domain; establishing at least one set of defining constraints that said SIRF filter must satisfy in a frequency domain; and determining an intersecting set of said at least one set of defining constraints that said SIRF filter must satisfy in the time domain and said at least one set of defining constraints that said SIRF filter must satisfy in the frequency domain by employing vector space projection methods.

Appellant also notes that Gandhi is directed to a digital filter having a recursive path in which reduced precision adder circuitry can be utilized without increasing quantization error. Gandhi does not address the issue of employing vector space projection methods to determine intersecting sets.

Thus, Younce, Gandhi, and Haddad, alone or in any combination, do not disclose or suggest establishing at least one set of defining constraints that said SIRF filter must satisfy in a time domain; establishing at least one set of defining constraints that said SIRF filter must satisfy in a frequency domain; and determining an intersecting set of said at least one set of defining constraints that said SIRF filter must satisfy in the time domain and said at least one set of defining constraints that said SIRF filter must satisfy in the frequency domain by employing vector space projection methods, as required by independent claims 1, 11, and 19.

Additional Cited References

Khalil was also cited by the Examiner for its disclosure of a VSPM method wherein a filter is designed having an arbitrary magnitude and phase response.

Appellant notes that Khalil was published in August, 2000, and therefore does not constitute prior art under 35 U.S.C. §103(a) since the present application has a filing date of March 12, 2001 (Khalil is incorporated by reference in the present specification). In any case, Khalil is directed to *FIR* filter design and does **not** address the design of *SIRF* filters. In addition, the present specification teaches that,

traditionally, VSPM techniques have been employed to design ***constrained FIR filters*** that are tailored to specific applications. See, K.C. Haddad, "Constrained FIR Filter Design by the Method of Vector Space Projections," IEEE Trans. on Circuit and Systems II: Analog and Digital Signal Processing, Vol. 47, No. 8 (Aug. 2000), incorporated by reference herein. In the context of the present invention, where VSPM techniques are employed to design an ***SIRF filter, two (or more) convex sets representing the constraints in time and frequency domains and corresponding projection operators have been mathematically formulated.*** A first convex set defines the constraints that the *SIRF* filter 120 must satisfy in the time domain, such that when the filter is convolved with the impulse response, the impulse response is shortened. Likewise, a second convex set defines the constraints that the *SIRF* filter 120 must satisfy in the frequency domain, such as a low, high or band pass band. P_i is defined to be the projection operator onto the set C_i . Thus, to obtain an *SIRF* filter satisfying both frequency and time constraints, an intersection of both sets is required.

(Page 4, lines 13-25; emphasis added.)

Khalil does not disclose or suggest ***two (or more) convex sets representing the constraints in time and frequency domains for SIRF filter design.***

Thus, Khalil does not disclose or suggest establishing at least one set of defining constraints that said *SIRF* filter must satisfy in a time domain; establishing at least one set of defining constraints that said *SIRF* filter must satisfy in a frequency domain; and determining an intersecting set of said at least one set of defining constraints that said *SIRF* filter must satisfy in the time domain and said at least one set of defining constraints that said *SIRF* filter must satisfy in the frequency domain by employing vector space projection methods, as required by independent claims 1, 11, and 19.

Claims 7, 8, 25 and 26

Claims 7, 8, 25, and 26 are rejected under 35 U.S.C. §103(a) as being unpatentable over Haddad in view of Younce, and further in view of Khalil. Regarding claims 7 and 8, the Examiner asserts that Khalil discloses a VSPM method wherein a filter is designed

according to the set of constraints (page 716, col. 1, lines 20-40; col. 2).

Appellant notes that there is a unique projection for each defined set. Appellant could find no disclosure or suggestion by Khalil that a set of defining constraints that the **SIRF** filter must satisfy in the frequency domain is defined as follows:

$$C_2 \equiv \left\{ \mathbf{h} \in R^N : 1 - \alpha \leq |H(\omega)| \leq 1 + \alpha \text{ for } \omega \in \Omega_p \right. \\ \left. \text{and } |H(\omega)| \leq \beta \text{ for } \omega \in \Omega_s \right\}.$$

where \mathbf{h} is the impulse response of length N of the SIRF filter that shortens the impulse response of a channel, ω is a frequency, α and β are error tolerance regions of frequency and time domain, respectively, $H(\omega)$ is the impulse response in the frequency domain, R^N is the Hilbert space of dimension N , Ω_p is the pass-band and Ω_s is the stop-band.

In addition, while the set C_3 recited in claims 8 and 26 is mentioned by Khalil, it is not mentioned in the context of SIRF design. Appellant could find no disclosure or suggestion by Khalil that a set of defining constraints that the **SIRF** filter must satisfy in the frequency domain is defined as follows:

$$C_3 \equiv \left\{ \mathbf{h} \in R^N : 1 - \alpha \leq A(\omega) \leq 1 + \alpha \right. \\ \left. \text{and } \Phi(\omega) = -\omega(N-1)/2 \text{ for } \omega \in \Omega_p \right. \\ \left. |H(\omega)| \leq \beta \text{ for } \omega \in \Omega_s \right\}.$$

where \mathbf{h} is the impulse response of length N of the SIRF filter that shortens the impulse response of a channel, ω is a frequency, α and β are error tolerance regions of frequency and time domain, respectively, $H(\omega)$ is the impulse response in the frequency domain, R^N is the Hilbert space of

dimension N , Ω_p is the pass-band, Ω_s is the stop-band,

and $\Phi(\omega) = -\frac{N-1}{2}\omega$, wherein $\Phi(\omega)$ and $A(\omega)$ are independent filter characteristics and

wherein $\Phi(\omega)$ is a linear phase and $A(\omega)$ is an amplitude.

Thus, Haddad, Younce, Gandhi, and Khalil, alone or in any combination, do not disclose or suggest wherein said at least one set of defining constraints that said SIRF filter must satisfy in the frequency domain is defined as follows:

$$C_2 \equiv \left\{ \mathbf{h} \in R^N : 1 - \alpha \leq |H(\omega)| \leq 1 + \alpha \text{ for } \omega \in \Omega_p \right. \\ \left. \text{and } |H(\omega)| \leq \beta \text{ for } \omega \in \Omega_s \right\}.$$

where \mathbf{h} is the impulse response of length N of the *SIRF* filter that shortens the impulse response of a channel, ω is a frequency, α and β are error tolerance regions of frequency and time domain, respectively, $H(\omega)$ is the impulse response in the frequency domain, R^N is the Hilbert space of dimension N , Ω_p is the pass-band and Ω_s is the stop-band, as required by claims 7 and 25, and do not disclose or suggest wherein said at least one set of defining constraints that said *SIRF* filter must satisfy in the frequency domain is defined as follows:

$$C_3 \equiv \left\{ \mathbf{h} \in R^N : 1 - \alpha \leq A(\omega) \leq 1 + \alpha \right. \\ \left. \text{and } \Phi(\omega) = -\omega(N-1)/2 \text{ for } \omega \in \Omega_p \right. \\ \left. |H(\omega)| \leq \beta \text{ for } \omega \in \Omega_s \right\}.$$

where \mathbf{h} is the impulse response of length N of the *SIRF* filter that shortens the impulse response of a channel, ω is a frequency, α and β are error tolerance regions of frequency and time domain, respectively, $H(\omega)$ is the impulse response in the frequency domain, R^N is the Hilbert space of

dimension N , Ω_p is the pass-band, Ω_s is the stop-band,

$$A(\omega) = \sum_0^{N/2-1} 2h(n) \cos \left[\left(n - \frac{N-1}{2} \right) \omega \right]$$

and $\Phi(\omega) = -\frac{N-1}{2} \omega$, wherein $\Phi(\omega)$ and $A(\omega)$ are independent filter characteristics and wherein $\Phi(\omega)$ is a linear phase and $A(\omega)$ is an amplitude, as required by claims 8 and 26.

Claims 10, 18, and 28

Claims 10 and 18 are rejected under 35 U.S.C. §103(a) as being unpatentable over Haddad in view of Younce, and claim 28 is rejected under 35 U.S.C. §103(a) as being unpatentable over Haddad in view of Younce, and in further view of Gandhi. Regarding claim 10, the Examiner asserts that Haddad discloses that the VSPM method is iteratively applied between the time and frequency domain constraints until the sets converge (FIG. 2).

Appellant could find no disclosure or suggestion by Haddad that a vector space projection method is iteratively applied to a set of defining constraints that the *SIRF* filter must satisfy in the time domain and the set of defining constraints that the *SIRF* filter must satisfy in

the frequency domain until the sets converge to a set of coefficients satisfying time domain constraints and frequency domain constraints.

Thus, Haddad, Younce, Gandhi, and Khalil, alone or in any combination, do not disclose or suggest wherein said vector space projection method is iteratively applied to said at least one set of defining constraints that said SIRF filter must satisfy in the time domain and said at least one set of defining constraints that said SIRF filter must satisfy in the frequency domain until the sets converge to a set of coefficients satisfying said time domain constraints and said frequency domain constraints, as required by claims 10, 18, and 25.

Conclusion

The rejections of the cited claims under section 103 in view of Haddad, Younce, Gandhi, and Khalil, alone or in combination, are therefore believed to be improper and should be withdrawn. The remaining rejected dependent claims are believed allowable for at least the reasons identified above with respect to the independent claims.

The attention of the Examiner and the Appeal Board to this matter is appreciated.

Respectfully submitted,



Kevin M. Mason
Attorney for Applicant(s)
Reg. No. 36,597
Ryan, Mason & Lewis, LLP
1300 Post Road, Suite 205
Fairfield, CT 06824
(203) 255-6560

Date: May 10, 2006

APPENDIX

1. A method for determining coefficient values for a shortening impulse response filter (SIRF), said method comprising the steps of:

5 establishing at least one set of defining constraints that said SIRF filter must satisfy in a time domain;

 establishing at least one set of defining constraints that said SIRF filter must satisfy in a frequency domain; and

 determining an intersecting set of said at least one set of defining constraints that
10 said SIRF filter must satisfy in the time domain and said at least one set of defining constraints that said SIRF filter must satisfy in the frequency domain by employing vector space projection methods.

2. The method according to claim 1, wherein said at least one set of defining
15 constraints that said SIRF filter must satisfy in the time domain define a filter having a linear phase response.

3. The method according to claim 1, wherein said at least one set of defining
20 constraints that said SIRF filter must satisfy in the frequency domain define a filter having a non-linear phase response.

4. The method according to claim 1, wherein the time domain constraints specify
a shortening of a channel impulse response.

25 5. The method according to claim 1, wherein the frequency domain constraints include a frequency response for said SIRF filter that does not attenuate a received signal.

6. The method according to claim 1, wherein the frequency domain constraints
include a pass-band for said SIRF filter.

30

7. The method according to claim 2, wherein said at least one set of defining constraints that the SIRF filter must satisfy in the frequency domain is defined as follows:

$$C_2 \equiv \left\{ \begin{array}{l} \mathbf{h} \in R^N : 1 - \alpha \leq |H(\omega)| \leq 1 + \alpha \text{ for } \omega \in \Omega_p \\ \text{and } |H(\omega)| \leq \beta \text{ for } \omega \in \Omega_s \end{array} \right\}.$$

where \mathbf{h} is the impulse response of length N of the SIRF filter that shortens the impulse response of a channel, ω is a frequency, α and β are error tolerance regions of frequency and time domain, respectively, $H(\omega)$ is the impulse response in the frequency domain, R^N is the Hilbert space of dimension N , Ω_p is the pass-band and Ω_s is the stop-band.

8. The method according to claim 3, wherein said at least one set of defining constraints that the SIRF filter must satisfy in the frequency domain is defined as follows:

$$C_3 \equiv \left\{ \begin{array}{l} \mathbf{h} \in R^N : 1 - \alpha \leq A(\omega) \leq 1 + \alpha \\ \text{and } \Phi(\omega) = -\omega(N-1)/2 \text{ for } \omega \in \Omega_p \\ |H(\omega)| \leq \beta \text{ for } \omega \in \Omega_s \end{array} \right\}.$$

where \mathbf{h} is the impulse response of length N of the SIRF filter that shortens the impulse response of a channel, ω is a frequency, α and β are error tolerance regions of frequency and time domain, respectively, $H(\omega)$ is the impulse response in the frequency domain, R^N is the Hilbert space of

dimension N , Ω_p is the pass-band, Ω_s is the stop-band,

and $\Phi(\omega) = -\frac{N-1}{2}\omega$, wherein $\Phi(\omega)$ and $A(\omega)$ are independent filter characteristics and wherein $\Phi(\omega)$ is a linear phase and $A(\omega)$ is an amplitude.

9. (Cancelled)

10. The method according to claim 1, wherein said vector space projection method is iteratively applied to said at least one set of defining constraints that said SIRF filter must satisfy in the time domain and said at least one set of defining constraints that said SIRF filter must satisfy in the frequency domain until the sets converge to a set of coefficients

satisfying said time domain constraints and said frequency domain constraints.

11. A shortening impulse response filter (SIRF), comprising:

5 a set of finite impulse response (FIR) coefficients satisfying at least one constraint in a time domain and at least one constraint in a frequency domain, wherein said at least one time domain constraint is represented as at least one first set and wherein said at least one frequency domain constraint is represented as at least one second set, wherein said finite impulse response (FIR) coefficients are determined by an intersecting set of said at least one first set defining said time domain constraints and said at least one second set defining said frequency domain
10 constraints, wherein said intersecting set is determined by employing vector space projection methods.

12. The SIRF according to claim 11, wherein said at least one first set defining constraints that said SIRF filter must satisfy in a time domain define a filter having a linear phase
15 response.

13. The SIRF according to claim 11, wherein said at least one second set defining constraints that said SIRF filter must satisfy in a frequency domain define a filter having a non-linear phase response.
20

14. The SIRF according to claim 11, wherein the time domain constraints specify a shortening of a channel impulse response.

15. The SIRF according to claim 11, wherein the frequency domain constraints
25 include a frequency response for said SIRF filter that does not attenuate a received signal.

16. The SIRF according to claim 11, wherein the frequency domain constraints include a pass-band for said SIRF filter.

30 17. (Cancelled)

18. The SIRF according to claim 11, wherein said vector space projection method is iteratively applied to said at least one first set defining said time domain constraints and said at least one second set defining said frequency domain constraints until the sets converge to a set of coefficients satisfying said time domain constraints and said frequency domain constraints.

5

19. A system for determining coefficient values for a shortening impulse response filter (SIRF), said system comprising:

a memory that stores computer-readable code; and

10 a processor operatively coupled to said memory, said processor configured to implement said computer-readable code, said computer-readable code configured to:

establish at least one set of defining constraints that said SIRF filter must satisfy in a time domain;

establish at least one set of defining constraints that said SIRF filter must satisfy in a frequency domain; and

15 determine an intersecting set of said at least one set of defining constraints that said SIRF filter must satisfy in the time domain and said at least one set of defining constraints that said SIRF filter must satisfy in the frequency domain by employing vector space projection methods.

20 20. The system according to claim 19, wherein said at least one set of defining constraints that said SIRF filter must satisfy in the time domain define a filter having a linear phase response.

25 21. The system according to claim 19, wherein said at least one set of defining constraints that said SIRF filter must satisfy in the frequency domain define a filter having a non-linear phase response.

22. The system according to claim 19, wherein the time domain constraints specify a shortening of a channel impulse response.

30

23. The system according to claim 19, wherein the frequency domain constraints include a frequency response for said SIRF filter that does not attenuate a received signal.

24. The system according to claim 19, wherein the frequency domain constraints include a pass-band for said SIRF filter.

25. The system according to claim 20, wherein said at least one set of defining constraints that the SIRF filter must satisfy in the frequency domain is defined as follows:

$$C_2 \equiv \left\{ \begin{array}{l} \mathbf{h} \in R^N : 1 - \alpha \leq |H(\omega)| \leq 1 + \alpha \text{ for } \omega \in \Omega_p \\ \text{and } |H(\omega)| \leq \beta \text{ for } \omega \in \Omega_s \end{array} \right\}.$$

where \mathbf{h} is the impulse response of length N of the SIRF filter that shortens the impulse response of a channel, ω is a frequency, α and β are error tolerance regions of frequency and time domain, respectively, $H(\omega)$ is the impulse response in the frequency domain, R^N is the Hilbert space of dimension N , Ω_p is the pass-band and Ω_s is the stop-band.

26. The system according to claim 21, wherein said at least one set of defining said domain constraints that the SIRF filter must satisfy in the frequency domain is defined as follows:

$$C_3 \equiv \left\{ \begin{array}{l} \mathbf{h} \in R^N : 1 - \alpha \leq A(\omega) \leq 1 + \alpha \\ \text{and } \Phi(\omega) = -\omega(N-1)/2 \text{ for } \omega \in \Omega_p \\ |H(\omega)| \leq \beta \text{ for } \omega \in \Omega_s \end{array} \right\}.$$

where \mathbf{h} is the impulse response of length N of the SIRF filter that shortens the impulse response of a channel, ω is a frequency, α and β are error tolerance regions of frequency and time domain, respectively, $H(\omega)$ is the impulse response in the frequency domain, R^N is the Hilbert space of

dimension N , Ω_p is the pass-band, Ω_s is the stop-band,

$$A(\omega) = \sum_0^{N/2-1} 2h(n) \cos \left[\left(n - \frac{N-1}{2} \right) \omega \right]$$

and $\Phi(\omega) = -\frac{N-1}{2} \omega$, wherein $\Phi(\omega)$ and $A(\omega)$ are independent filter characteristics and wherein $\Phi(\omega)$ is a linear phase and $A(\omega)$ is an amplitude.

27. (Cancelled)

28. The system according to claim 19, wherein said vector space projection method is iteratively applied to said at least one set of defining constraints that said SIRF filter must satisfy in the time domain and said at least one set of defining constraints that said SIRF filter must satisfy in the frequency domain until the set of defining constraints that said SIRF filter must satisfy in the time domain converge to a set of coefficients satisfying said time domain constraints and the set of defining constraints that said SIRF filter must satisfy in the frequency domain converge to a set of coefficients satisfying said frequency domain constraints.

10

EVIDENCE APPENDIX

There is no evidence submitted pursuant to § 1.130, 1.131, or 1.132 or entered by the Examiner and relied upon by appellant.

RELATED PROCEEDINGS APPENDIX

There are no known decisions rendered by a court or the Board in any proceeding identified pursuant to paragraph (c)(1)(ii) of 37 CFR 41.37.

5



Haddad 1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application

Applicant(s): Khalil C. Haddad
Case: 1
Serial No.: 09/803,801
Filing Date: March 12, 2001
Group: 2638
Examiner: Jason M. Perilla

I hereby certify that this paper is being deposited on this date with the U.S. Postal Service as first class mail addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

Signature: [Signature] Date: May 10, 2006

Title: Shortening Impulse Response Filter (SIRF) and Design Technique Therefor

REQUEST FOR UPDATED NOTICE OF REFERENCES CITED (PTO-892)

Mail Stop Appeal Brief – Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The Examiner has applied United States Patent No. 5,521,908 to Younce in the present Office Action. Younce, however, was not listed on a Notice of References Cited (PTO-892). Applicants respectfully request an updated Notice of References Cited (PTO-892) that includes Younce.

Respectfully,

[Signature]

Date: May 10, 2006

Kevin M. Mason
Attorney for Applicant(s)
Reg. No. 36,597
Ryan, Mason & Lewis, LLP
1300 Post Road, Suite 205
Fairfield, CT 06824
(203) 255-6560